


National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

MAXIMUM HEIGHT UNITS



15 DOOR HIGH UNITS



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

- MB1 - 13-1/4" W x 3-1/4" H
- MB2 - 13-1/4" W x 6-3/4" H
- MB3 - 13-1/4" W x 10-1/4" H
- MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

- PL3² - 13-1/4" W x 10-1/4" H
- PL4² - 13-1/4" W x 13-3/4" H
- PL4.5 - 13-1/4" W x 15-1/2" H
- PL5 - 13-1/4" W x 17-1/4" H
- PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR

Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.


Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

15 DOOR HIGH UNITS (continued)



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

- MB1 - 13-1/4" W x 3-1/4" H
- MB2 - 13-1/4" W x 6-3/4" H
- MB3 - 13-1/4" W x 10-1/4" H
- MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

- PL3² - 13-1/4" W x 10-1/4" H
- PL4² - 13-1/4" W x 13-3/4" H
- PL4.5 - 13-1/4" W x 15-1/2" H
- PL5 - 13-1/4" W x 17-1/4" H
- PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR


Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.


²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

14 DOOR HIGH UNITS




National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

13 DOOR HIGH UNITS



12 DOOR HIGH UNITS



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

MB1 - 13-1/4" W x 3-1/4" H
MB2 - 13-1/4" W x 6-3/4" H
MB3 - 13-1/4" W x 10-1/4" H
MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

PL3² - 13-1/4" W x 10-1/4" H
PL4² - 13-1/4" W x 13-3/4" H
PL4.5 - 13-1/4" W x 15-1/2" H
PL5 - 13-1/4" W x 17-1/4" H
PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR

Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.


Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

12 DOOR HIGH UNITS (continued)



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

MB1 - 13-1/4" W x 3-1/4" H
MB2 - 13-1/4" W x 6-3/4" H
MB3 - 13-1/4" W x 10-1/4" H
MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

PL3² - 13-1/4" W x 10-1/4" H
PL4² - 13-1/4" W x 13-3/4" H
PL4.5 - 13-1/4" W x 15-1/2" H
PL5 - 13-1/4" W x 17-1/4" H
PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR


Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.


²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

11 DOOR HIGH UNITS



National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

10 DOOR HIGH UNITS



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

MB1 - 13-1/4" W x 3-1/4" H
MB2 - 13-1/4" W x 6-3/4" H
MB3 - 13-1/4" W x 10-1/4" H
MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

PL3² - 13-1/4" W x 10-1/4" H
PL4² - 13-1/4" W x 13-3/4" H
PL4.5 - 13-1/4" W x 15-1/2" H
PL5 - 13-1/4" W x 17-1/4" H
PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR


Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Salsbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.


10 DOOR HIGH UNITS (ADA Compliant)



National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

10 DOOR HIGH UNITS (ADA Compliant - continued)

52-3/4" H



3910SAX-04
(4MB1, 1 PL4S, OM1.5)



3910SX-03
(3 MB1, 1 PL5, OM2)



3910SX-02
(2 MB1, 1 PL6, OM2)



3910SX-2P
(2 PL5)



3910SX-01¹
(1 MB3, 1 PL5, OM2)



3910SX-1B¹
(1 Receptacle Bin)



3910SX-1C¹
(1 Collection Box)

9 DOOR HIGH UNITS

62-1/4" H



3909D-16
(16 MB1, OM2)



3909D-15
(15 MB1, OM3)



3909D-10
(10 MB1, 1 PL6, OM2)



3909D-06
(1 MB1, 5 MB3, OM2)



3909D-05
(5 MB3, OM3)



3909D-04
(1 MB1, 3 MB3, 1 PL6, OM2)



3909D-03
(3 MB3, 1 PL6, OM3)



3909D-4P
(2 PL4, 2 PL5)

62-1/4" H



3909S-07
(7 MB1, OM2)



3909S-02
(2 MB1, 1 PL5, OM2)



3909S-2P
(1 PL4, 1 PL5)



3909S-1B¹
(1 Receptacle Bin)



3909S-1C¹
(1 Collection Box)

DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

- MB1 - 13-1/4" W x 3-1/4" H
- MB2 - 13-1/4" W x 6-3/4" H
- MB3 - 13-1/4" W x 10-1/4" H
- MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

- PL3² - 13-1/4" W x 10-1/4" H
- PL4² - 13-1/4" W x 13-3/4" H
- PL4.5 - 13-1/4" W x 15-1/2" H
- PL5 - 13-1/4" W x 17-1/4" H
- PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR

Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.


Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.


²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations


8 DOOR HIGH UNITS



7 DOOR HIGH UNITS



6 DOOR HIGH UNITS (ADA Compliant)



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

- MB1 - 13-1/4" W x 3-1/4" H
- MB2 - 13-1/4" W x 6-3/4" H
- MB3 - 13-1/4" W x 10-1/4" H
- MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

- PL3² - 13-1/4" W x 10-1/4" H
- PL4² - 13-1/4" W x 13-3/4" H
- PL4.5 - 13-1/4" W x 15-1/2" H
- PL5 - 13-1/4" W x 17-1/4" H
- PL6 - 13-1/4" W x 20-3/4" H



Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.


Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

²For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

National Mailboxes Vario Depot Free Standing 4C Horizontal Mailbox Configurations

6 DOOR HIGH UNITS (ADA Compliant)



DOUBLE COLUMN WIDTH: 32-1/4" W
SINGLE COLUMN WIDTH: 17-1/2" W

MAILBOX DOOR SIZES:

MB1 - 13-1/4" W x 3-1/4" H
MB2 - 13-1/4" W x 6-3/4" H
MB3 - 13-1/4" W x 10-1/4" H
MB4 - 13-1/4" W x 13-3/4" H

PARCEL LOCKER DOOR SIZES:

PL3² - 13-1/4" W x 10-1/4" H
PL4² - 13-1/4" W x 13-3/4" H
PL4.5 - 13-1/4" W x 15-1/2" H
PL5 - 13-1/4" W x 17-1/4" H
PL6 - 13-1/4" W x 20-3/4" H



OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.



CARRIER ACCESS (CA) DOOR


Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Salisbury Free Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

¹ These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

² For private delivery, unless parcel locker ratio exceeds requirement. U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers must be a minimum of 15" high (PL4.5, PL5 and PL6) to meet the 1:10 ratio. Once this ratio has been met, smaller parcel lockers (PL3 and PL4) may also be added.

5 DOOR HIGH UNITS (ADA Compliant)



NATIONAL MAILBOXES

A DIVISION OF NMHP INC.

North America's Commercial & Residential Mailbox Leader!